

ABOUT US



MAK Group, from the onset as focused on providing quality solutions for the past 25 years, it has been rendering it services to the building and construction industry. MAK group wanted to launch a new sister organization with a focus on piping and piping components, which wood cement their reputation as a leader in the building and construction industry, thus FATEH AL-JUBAIL was born.

Launched in the year 2006, FATEH AL-JUBAIL is today a leading name, as a stockiest of mechanical components and specializing in pipes and pipe components. Since its inception, FATEH AL-JUBAIL has been rapidly expanding, catering industries, from the building construction to oil and gases, its major clientele also include associated engineering industries such as marine and petrochemical industries affiliated with SABIC And SAUDI ARAMCO.

The key to our success of our merchandise from reputed international manufacturers, with highest degree of quality and trust with their products and our core values which include transparency and insure the safety of the products supplied.

We measure our performance and determine improvements services, reliability and quality.

The strong pedigree of qualified and highly skilled sales staffs can provide customized solutions and technical guidance. Finally the unbeatable customers service support and after sales service complete the chain.

We enhance the performance of our customers by strategically placing our product in the market through competitive pricing and unmatched service.

We believe in long lasting mutually beneficial relationship, do spare a moment to browse through the brochure which will provide you with more detail insight of our product line. We value of our business and look forward to continue to serve in the feature. Please do not hesitate to get in touch regarding any query that you many have. We at FATEH AL-JUBAIL and our staff looking forward hear from you soon.



OUR BUSINESS SCOPE





INDUSTRIAL, MECHANICAL, OILFIELD & INSTRUMENTATION

- CS,DI, SS PIPES, FORGED & BUTT WELD FITTINGS, INSTRUMENTATION
- CS, CI, DI & SS VALVES
- All Types of Structural Steel
- PVC & Fiber Water Tanks
- All Types of Mechanical Couplings & Supa Flange Adaptors

PVC, CPVC, ELECTRICAL, BUILDING & SANITARY

- PVC & CPVC PIPES, FITTINGS & VALVES
- PVC NEMA STD, ELECTRICAL CONDUITS & ELECTRICAL MATERIALS
- ALL TYPES OF SANITARY, PLUMBING MATERIALS & BATHROOM ACCESSORIES

POWER TOOLS, HAND TOOLS, FASTENERS & SAFETY PRODUCTS

- MEASURING TOOLS
- LAYOUT TOOLS
- KNIVES & BLADES
- SAWS
- HAMMERS
- DEMOLITION
- CHISELS & NAIL SETS
- FASTENING & CLAMPING
- SCREWDRIVERS
- FINISHING TOOLS
- SNIPS, PLIERS
- & ADJUSTABLE WRENCHES
- MECHANICS TOOL S
- TOOL STORAGE



INDUSTRIAL, MECHANICAL, OILFIELD & INSTRUMENTATION

PIPES

Seamless Pipe EFW Electric Fusion Welded Pipe ERW Electric Resistance Welded Pipe DSAW Double Submerged Arc Welded Pipe Forged Pipe

FLANGES

Slip On Flange Blind Flange Weld Neck Flange Socket Weld Flange Threaded Flange Lap Joint Flange Orifice Flange Spectacle Blind Flange Spades and Spacers Anchor Flange Swivel Ring Flange Bespoke Flanges Flanged Fittings

BUTTWELD FITTINGS

Buttweld Fittings
Buttweld Elbow Fitting
Buttweld Tee Fitting
Buttweld Cross Fitting
Buttweld Cap Fitting
Buttweld Stub End Fitting
Eccentric / Concentric Reducer Fitting

Screwed Cross Fittings

SCREWED FITTINGS

Screwed Elbow Fittings
Screwed Tee Fittings
Screwed Couplings
Screwed Cap Fittings
Screwed Union Fittings
Screwed Plugs
Screwed Bushes & Hex Bushes
Pipe Nipples and Barrel Nipples
Concentric Swages and Eccentric Swages
Buttweld Branch Outlet Fittings
Male / Female 90° Street Elbows
Welding Bosses



SOCKET WELD FITTINGS

Socket Weld Elbow Fittings
Socket Weld Tee Fittings
Socket Weld Cross Fittings
Socket Weld Couplings
Socket Weld Cap Fittings
Socket Weld Union Fittings
Pipe Nipples and Barrel Nipples
Concentric Swages and Eccentric Swages
Socket Weld Reducing Inserts
Welding Bosses

VALVES

Gate Valves Ball Valves Buttweld Branch Outlet Fittings Globe Valves Check Valves Butterfly Valves Safety Valves Needle Valves

FASTENERS AND STUD BOLTS

Fasteners Stud Bolts Teflon Coated Bolts Nuts & Washers

GASKETS AND INSULATING KITS

Ring Joint Gaskets Spiral Wound Gaskets Flat Cut Gaskets and Sheets Flexible Graphite Sheet Products Steel Re-inforced Rubber Gaskets Metal Jacketed Gaskets Serrated Metal Gaskets Insulating Kits Non Asbestos Gaskets Rubber Gaskets Neoprene Sheet Non Asbestos Sheet

PIPES

Fateh Al-Jubail Trading Est.

QUALITY STANDARD FOR PIPE

High quality Pipe is all made and controlled to the relevent standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES FOR PIPE

All Pipe is available available in sizes from 1/8" through to 64" Nominal Bore.

MATERIAL GRADES FOR PIPE

All Pipe is available in the following material grades:

STAINLESS STEEL

A312 304/L 310

316/L

321/H

347/H

410

440

904L

CARBON STEEL

A106 Gr.B A106 Gr.C API 5LB

LOW TEMPERATURE

ASTM A333Gr.6/3

ALLOY STEEL

A335 P1, P5, P9, P11, P12, P22, P91

6% MOLY / DUPLEX & SUPER DUPLEX

UNS S31254 UNS S31803, S32205 UNS S32760, S32750, S32507

NICKEL ALLOYS

200, 400, K500, 600, 625, 800, 825

ALLOYS

ALLOY 20 ALLOY C ALLOY C276 ALLOY B2

ALUMINIUM

5083, 5154, 5251, 6061, 6063, 6082

UNUSUAL GRADES

Bronze, Brass, Copper Cupro Nickel & Titanium

HIGH YIELD

API 5L X42, 52, 60, 65, 70

















FLANGES



QUALITY STANDARD FOR FLANGES

High quality Flanges all made and controlled to the relevant standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES FOR FLANGES

All valves are available available in sizes from 1/4" through to any size.

WALL THICKNESS FOR FLANGES

Schedule 5s through to Schedule XXS and heavier.

DIMENSIONS AND PRESSURE RATINGS FOR FLANGES:

- ANSI, MSS- SP-44, BS3293, API 605 150lb through to 2500lb
- Flange Facings: Raised Face, Ring Type Joint, Large Tongue & Groove, Small Tongue & Groove
- BS4504 PN6, 10, 16, 25, 64
- BS10 Table D, E, F, & H
- DIN Standards

Special items according to customer drawings.

MATERIAL GRADES FOR FLANGES

Flanges are available in the following material grades:

STAINLESS STEEL	LOW TEMPERATURE STEEL	
A182 F304/L	A350 LF2, LF3, LF6	
F310	ALLOY STEEL	
F316/L	A182 F1, F5, F9, F11, F12, F22, F91	
F321/H	HIGH YIELD	
F347/H	A694 F42, F52, F60, F65, F70	
F410	6% MOLY / DUPLEX & SUPER DUPLE	
F440	A182 F44, F51, F53, F55	
9041	NICKEL ALLOYS	

NICKEL ALLOYS

CARBON STEEL 200, 400, K500, 600, 625, 800, 825

ALLOYS

ALLOY 20 ALLOY C ALLOY C276 ALLOY B2 **ALUMINIUM**

5083, 5154, 5251, 6061, 6063, 6082

UNUSUAL GRADES

Bronze, Brass, Copper Cupro Nickel

Titanium









A105, C22.8





BUTTWELD FITTINGS



QUALITY STANDARD FOR BUTTWELD FITTINGS

High quality buttweld fittings all made and controlled to the relevent standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES FOR BUTTWELD FITTINGS

Buttweld Fittings are available available in sizes from 1/4" through to any size.

WALL THICKNESS FOR BUTTWELD FITTINGS

Schedule 5s through to Schedule XXS and heavier.

DIMENSIONS FOR BUTTWELD FITTINGS:

- BS 1640/ANSI ASME B16.9 B16.28 B16.25
- Seamless, EFW, ERW, DSAW and Forged

MATERIAL GRADES FOR BUTTWELD FITTINGS

All buttweld fittings are available in the following material grades:

STAINLESS STEEL	LOW TEMPERATURE STEEL
A403 304/L	A420 WPL6, WPL3
310	ALLOY STEEL
316/L	A234 WP1, WP5, WP9, WP11, WP12, WP22, WP91
321/H	HIGH YIELD
347/H	WPHY42, 52, 60, 65, 70
410	DUPLEX & SUPER DUPLEX
440	A815 UNS 31803, UNS 31254, UNS S32750
904L	UNS S32760
CARBON STEEL	NICKEL ALLOYS
A234 WPB, WPC	200, 400, K500, 600, 625, 800, 825











ALLOYS ALLOY 20 ALLOY C ALLOY C276 ALLOY B2 ALUMINIUM

UNUSUAL GRADES Bronze, Brass, Copper

Cupro Nickel Titanium





SCREWED FITTINGS



QUALITY STANDARD FOR SCREWED FITTINGS

High quality fittings all made and controlled to the relevant standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES AVAILABLE FOR SCREWED FITTINGS

Screwed Fittings are available available in sizes from 1/8" through to 4".

DIMENSIONS & PRESSURE RATINGS FOR SCREWED FITTINGS

BS3799 and ANSI B16.11 3000lb through to 9000lb Sch 10s through to Sch XXS and heavier.

SIZES AVAILABLE FOR REINFORCED BRANCH OUTLETS

1/4" through to 24"

DIMENSIONS TO MANUFACTURERS STANDARDS.

Sch 10s through to Sch XXS and heavier.

Special fittings according to customer drawings.

THREAD TYPES

NPT: BSPT: BSPP

STATNI	ESS STEEL	ALLO	Y	STEEL
DIMITIAL		A 0 5000 5000 700		

A182 F304/L A182 F1, F5, F9, F11, F12, F22, F91

F310 HIGH YIELD

F316/L A694 F42, F52, F60, F65, F70

F410 NICKEL ALLOYS

F440 200, 400, K500, 600, 625, 800, 825

CARBON STEEL 6% MOLY / DUPLEX & SUPER

A105 DUPLEX

6% MOLLY AND 6 MOLY A182 F51, A182 F53, F55, UNS S32750, UNS S32760

LOW TEMPERATURE STEEL

A350, LF2, LF3, LF6













SOCKET WELD FITTINGS



QUALITY STANDARD FOR SOCKET WELD FITTINGS

High quality fittings all made and controlled to the relevant standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES AVAILABLE FOR SOCKET WELD FITTINGS

Socket Weld Fittings are available available in sizes from 1/8" through to 4".

DIMENSIONS & PRESSURE RATINGS FOR SOCKET WELD FITTINGS

BS3799 and ANSI B16.11 3000lb through to 9000lb Sch 10s through to Sch XXS and heavier.

SIZES AVAILABLE FOR REINFORCED BRANCH OUTLETS

1/4" through to 24"

DIMENSIONS TO MANUFACTURERS STANDARDS.

Sch 10s through to Sch XXS and heavier.

MATERIAL GRADES FOR SOCKET WELD FITTINGS

Socket Weld Fittings are available in the following material grades:

STAINLESS STEEL

A182 F304/L

F310

F316/L

F321/H

F347/H

CARBON STEEL

A105

6% MOLLY AND 6 MOLY

A182 F44

LOW TEMPERATURE STEEL

ALLOY STEEL

A182 F1, F5, F9, F11, F12, F22, F91

HIGH YIELD

A694 F42, F52, F60, F65, F70

NICKEL ALLOYS

200, 400, K500, 600, 625, 800, 825

6% MOLY / DUPLEX & SUPER

DUPLEXA 182 F 51 A 182 F 53

A182 F51, A182 F53, F55, UNS S32750, UNS S32760

ALLOYS

ALLOY 20

ALLOY C

ALLOY C276

ALLOY B2

ALUMINIUM

5083, 5154, 5251, 6061, 6063, 6082

UNUSUAL GRADES

Bronze, Brass, Copper

Cupro Nickel

Titanium











GROOVED FITTINGS



QUALITY STANDARD FOR GROOVED PIPE FITTINGS

High quality fittings all made and controlled to the relevant standards

TYPES OF FITTINGS

Rigid Coupling Style 2 Rigid Coupling Style 5

Flexible Coupling Style 10

Flexible Coupling Style 11

Flexible Coupling Style 11L

Flexible Coupling Style 12

Snap lock Coupling Style 20

Reducing Coupling Style 25

Grooved Flange Style 14

Mechanical Branchlets Style 15 and 16

Mechanical Branchlets Style 13

Mechanical Branchlets Style 13S

Standard 90 Deg Elbow Style 100

Standard 45 Deg Elbow Style 101

Standard 22 1/2 Deg Elbow Style 102

Standard 11 1/4 Deg Elbow Style 103

Standard Equal Tee Style 110

Standard End Cap Style 150

Standard Reducer Tee Style 115

Standard Concentric Reducer (grooved) Style 140

Eccentric Reducer Style 145

Short Pattern 90 Deg Elbow Style F105

Short Pattern 45 Deg Elbow Style 106

Short Pattern Equal Tee Style F107

Short Pattern Cross Style F135

Short Pattern End Cap Style F155

Standard Drain Elbow Style F100D

Short Pattern Drain Elbow Style F105D

Bullhead Tee - Standard Style F111

Flange Adapters Style 190

Nipples Style 35

Concentric Reducer- External Thread

Style 140TM

Concentric Reducer- Internal Thread

Style 140TF

Hose nipple Style 80

Large Diameter 90° Elbow Style 100L

Large Diameter Tee Style 110L

Rigid Coupling Style 05S







MALLEABLE IRON FITTINGS



QUALITY STANDARD FOR SOCKET WELD FITTINGS

We offer one of the most extensive selections of black and galvanized malleable iron fittings in the industry. Available in 13 diameters from 1/8" to 6", every fitting is produced to exact specifications. All galvanized products are zinc-coated for water applications – and meet all low-lead requirements. In addition, all of our iron fittings undergo our rigorous testing and quality inspection.

PRODUCT AVAILABILITY & HIGHLIGHTS

Stocked in most figures from 1/8" to 6"
Available in Black finish for oil and gas fluid applications
Available in Galvanized finish for water, air and steam installations
Available for servicing 150 psi and 300 psi applications
Hot dip galvanizing process according to ASTM A-153 standards
Galvanized Products meet California Lead Plumbing Law

SPECIFICATIONS

Threaded ends meeting with ANSI/ASME B1.20.1 standards
Material meeting with ASTM A-197 standards
Dimensions meet the following:
Threaded Fittings – with ASME B16.3 standards
Unions – with ASME B16.39 standards
Bushing Reducer and Plugs – with ASME B16.14 standards
Socket Weld Fittings are available in the following material grades:









QUALITY STANDARD FOR VALVES

High quality Valves all made and controlled to the relevent standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

TYPES

Gate Valves
Ball Valves
Globe Valves
Check Valves
Butterfly Valves

MATERIALS

Carbon Steels 105 and ASME SA216 Grade WCB Stainless Steel CF8M, LF2, 304, 316 Cast Iron Bronze

END CONNECTION

PRESSURE RATINGS

CL150, CL300, CL600, CL800 – PN10, PN16, NPT PN25, PN40 – 1000/2000/3000 PSI SW Flanged

SIZES RANGE

Safety Valves Needle Valves

½" to 14" (in all Schedules)





















FIRE & SAFETY VALVES



This standard covers iron-body, resilient-seated gate valves, including tapping gate valves, with nonrising stems (NRS) and outsidescrew-and-yoke (OS&Y) rising stems for water supply service. 1.1.1 Sizes. Gate valves covered by this standard are 3 in. (75 mm), 4 in. (100 mm), 6 in. (150 mm), 8 in. (200 mm), 10 in. (250 mm), 12 in. (300 mm), 16 in. (400 mm), and 20 in. (500 mm) nominal pipe size (NPS). Sizes refer to the nominal diameter, in inches (or millimeters), of the waterway through the inlet and outlet connections and the closure area. 1.1.2 Valve pressure rating. The minimum design working water pressure shall be 200 psig (1,380 kPa [gauge]) for 3- through 12-in. (75- through 300-mm) size and 150 psig (1,034 kPa [gauge]) for 16- and 20-in. (400- and 500-mm) sizes. 1.1.3 Conditions and materials not covered. This standard is not intended to cover special conditions of installation or operation, such as built-in power drive, installation in vertical or steeply inclined lines, conveyance of unusually corrosive water, or excessive water hammer. Such conditions are beyond the intended scope of this standard and require special consideration in design and construction. Joint accessories for end connections, such as bolts, gaskets, glands, follower rings, and so forth, are not covered in this standard.



TYPES

- AWWA Resilient seated gate valves NRS/OS&Y FLANGED ENDS 200/250PSI
- AWWA Resilient seated gate valves NRS PUSH ON ENDS 200/250PSI
- AWWA Resilient seated gate valves NRS MJ+MJ / FL+MJ 200/250PSI
- AWWA Resilient seated gate valves NRS THREAD ENDS 200/250PSI

DESCRIPTION

- Design confirms to:AWWA C509/C515
- Flanged confirms to: ANSI B16.10
- Test & Inspection: AWWA C509/C515
- Suitable medium: water and neutral liquid
- Working temperature: NBR≤80□, EPDM≤120□
- Operator: handwheel, nut, extension stem, gear operaFL+MJ 200/250PSI
- AWWA Resilient seated gate valves NRS THREAD ENDS 200/250PSI











KVK INDUSTRIAL VALVES



Summary

At KVK Commercial Products we are dedicated to the provision of high quality waterworks pipeline solutions, encompassing everything our customers need, from point of production to point of consumption`. In short, we are committed to giving the worldwide waterworks marketplace the best, most reliable and complete service possible.

Design and Development

We complement our standard product range of pipeline products by maintaining a formal relationship with the highly skilled and experienced development and design team at Design and Provide Limited. Together we work on improvements to current products, and the development of innovations using the very latest CAD and finite element analysis systems.





DUYAR VALVE QUALITY POLICY

TO FULLY MEET THE THE NEEDS AND EXPCTATIONS OF OUR CUSTOMERS PRODUCTS & SERVICES; OUR MAIN TARGET IS TO PRESENT IN TOP QUALITY AND BEST TOTAL COST IN COMPLIANCE WITH APPLICABLE LAWS AND STANDARDS AT ONCE AND APPROPRIATE TIME.

OUR MAIN PURPOSE IS PRODUCING THE QUALITY WITH THE PRODUCT INSTEAD OF CONTROLLING IT. FOR THIS OUR PROCESSES ARE UNDER CONTROL AND WILL BE IMPROVED CONTINUOSLY OUR BASIC METHODS AND PRINCIPLES ARE "CONTINUOS IMPROVEMENT" AND DO THE JOB RIGHT AT FIRST TIME.





COMPLETE RANGE OF CHILLED WATER VALVES

INSTRUMENTATION TUBE FITTINGS



TUBE SIZE

1/16"OD TO 2"OD, 2MM OD TO 50MM OD

MATERIAL GRADES

SS 304, SS 316, BRASS, SPECIAL ALLOYS

THREAD

NPT, BSP, BSPT, UNF, ISO, SAE ETC.

PRESSURE RATING

6000PSI FOR STAINLESS STEEL, 300/ 1000 /3000PSI FOR BRASS

Pressure Gauges - Dry Gauge - Bottom Mount

Ideal for indicating pressure above atmospheric.

Usable on air, oil, gas, water or any other pressure medium which does not attack bronze.

Install protective syphon when used on steam.

Pressure Gauges - Liquid Filled - Bottom Mount

For severe service requiring a waterproof, steamproof or weatherproof gauge, with the added problems of pulsation and vibration.

This pressure gauge has shock absorbing polyglide movement plus liquid filling to absorb effect of vibration and pulsation.





















FASTENERS AND STUD BOLTS



QUALITY STANDARD FOR FASTENERS AND STUD BOLTS

High quality Fasteners and Stud Bolts all made and controlled to the relevant standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES FOR FASTENERS AND STUD BOLTS

All Fasteners and Stud Bolts are available available in any size

STUD BOLTS & NUTS

Carbon Steel A193 Gr. B7 / A194 Gr. 2H Stainless Steel A193 Gr.B8 / A194 Gr.B8 (SS304) A193 Gr.B8M / A194 Gr.B8M (SSs316)

HEXAGONAL BOLT

A325, A490, A193 Gr.B7,F10T, Gr.5, Gr.8, Gr.8.8 SS304, SS316

- Socket Screws
- Nuts
- Pins
- Screws
- Washers
- Eye Bolts
- Expansion Bolts
- Flange Bolt
- Anchor Bolt ("J", "L", "L" etc)
- U-Bolt
- Turnbuckle
- Dyna Bolt
- etc











GASKETS AND INSULATING KITS



QUALITY STANDARD FORGASKETS AND INSULATING KITS

High quality Gaskets and Insulating Kits all made and controlled to the relevent standards such as: ASME, ASTM, BS and DIN/WERKSTOFFE.

SIZES FOR GASKETS AND INSULATING KITS

All Gaskets and Insulating Kits are available available in sizes from 3/8" through to any size.

MATERIAL GRADES FOR GASKETS AND INSULATING KITS


Please contact us for any requirements of Gaskets and Insulating Kits and we will be happy to help, no matter how specific your requirements.

TYPES

Ring Joint Gaskets Spiral Wound Gaskets Flat Cut Gaskets and Sheets Flexible Graphite Sheet Products Steel Re-inforced Rubber Gaskets Metal Jacketed Gaskets











PVC, CPVC, ELECTRICAL, BUILDING & SANITARY

PIPES

PVC CONDUIT PIPE

PVC PIPE SCH-40, WHITE & GREY

UPVC PIPE

CPVC PIPE

PPR PIPES

FITTINGS

UPVC FITTINGS

CPVC VALVES & FITTINGS

PPR VALVES & FITTINGS

PVC VALVES & FITTINGS

HDPE FITTING

PLUMBING VALVES

GATE VALVES

BRASS BALL VALVES

STOP VALVES

DRAIN VALVES

CHECK VALVES

GAS BALL VALVES

SILLCOCKS AND HOSE BIBS

Y-STRAINERS

PRESSURE VALVES

INDUSTRIAL VALVES
 & FITTINGS (DUCTILE IRON)

GATE VALVES

BUTTERFLY VALVES

CHECK VALVES

GLOBE VALVES

Y-STRAINERS

AIR RELEASE VALVES

RUBBER EXPANSION JOINTS

FLEXIBLE COUPLINGS

FLANGE ADAPTORS

SADDLE CLAMPS

REPAIR CLAMPS

WATER METERS



SANITARY & BUILDING

WATER HEATERS

BATH MIXER

BRIDGE MIXER

KITCHEN MIXER

BASIN MIXERS

SINK COCK BEND

HOSE BIB

ANGLE VALVES

PERINAL SPRAY

SHOWER HEADS

SANITARY FITTINGS CHROME

BATHROOM ACCENSORIES

HOSES

SS BRAIDED FLEXIBLE HOSE

FLEXIBLE HOSE CHROME

PVC FLEXIBLE HOSE

FLAT HOSE

FLEXIBLE WATER HOSE

TEST PLUGS

STEEL TEST PLUGS

ALUMINIUM TEST PLUGS

MULTI-LOCK STEEL TEST PLUGS

DOUBLE SEAL STEEL TEST PLUG

CANVAS INFLATABLE AIR BAGS

OTHERS

FLOOR DRAINS

MANHOLE COVERS

WATER FILTER SETS

WATER PUMP

PUMP CONTROL SWITCH

SS KITCHEN SINKS

WASH BASIN WITH PEDISTAL

WATER CLOSETS

HOSE CLAMPS

NUTS BOLTS & FISHERS

PIPES



We are offering our valuable clients a wide range of PVC, CPVC, UPVC and CONDUIT Pipes for use in Industrial Plumbing & Sanitary. We are Importers & Stockist in all standard sizes in white, cream and grey colours, these pipes are manufactured by our experts using high quality HDPE material in compliance with international quality standards.

PVC CONDUIT PIPE

NEMA TC-8 DB-120 / EB-35

NEMATC-2 EPC-40 / EPC80



PVC PIPE

SCH-40, SCH-80

WHITE & GREY





UPVC PIPE

CL-2, CL-3, CL-4, CL-5

16MM TO 710MM



CPVC PIPE


SCH-80

DARK GREY

PPR PIPE

SINGLE LAYER TYPE-3

4MTR, 5.8MTR













FITTINGS



We are offering a wide range of Pipe Fitting to our clients at reasonable prices according to their requirements. Our Pipe Fitting are made using best quality of material guaranteeing perspective balance, strength and efficient performance. These are quality examined and accepted for conformity to industry described requirements.

UPVC FITTINGS

CL-3, ORANGE

RUBBER JOINT

CPVC FITTINGS

SCH-80, GREY

ASTM - F439

PPR FITTINGS

GREEN

PVC WHITE FITTINGS

ASTM D-2665, WHITE

ASTM D-2466

HDPE FITTINGS

D2513, D1683, A3261

ASTM D2513, F1924















FORMATURA

POLIMER



















PVC, CPVC, UPVC TRUE UNION BALL VALVES





PVC, CPVC, UPVC BUTTERFLY VALVES



PVC, CPVC, UPVC CHECK VALVES



PVC, CPVC, UPVC FOOT VALVES





FORMATURA INIEZIONE POLIME/RI





PLUMBING VALVES & TEST PLUGS



About Plumbing Valves

Plumbing valve is a mechanical in-line device used to open or shut off the flow of water, gas or oil. Valves come in a variety of types and sizes and can be used for emergency shut-off, maintenance, backflow prevention, drainage, utility and other applications.



Gate Valves

Threaded and sweat gate valves in 1/2", 3/4" and 1" sizes with lead-free compliant brass body.



Ball Valves

1/4-turn, full flow, lead-free brass ball valves in sizes up to 2" with threaded,sweat (solder) and union connection



Gas Ball Valves

Threaded gas ball valves in 1/2", 3/4"and 1 sizes. For use with natural, propane or manufactured gas. CSA approved



Y-Strainers

Bronze in-line threaded Y-strainers with factory plug for sediment filtration



Check Valves

Swing type and spring type inline check valve with threaded and sweat connection options.



Sillcocks & Hose Bibs

Frost free sillcocks, hose bibs and other sillcock types in 1/2" and 3/4" sizes for indoor and outdoor applications.



Pressure Relief Valves

Temperature and pressure relief valves in various types, connection sizes and psi pressure settings.



Drain Valves

1/4-turn and multi-turn lead-free drain valves for use with water heaters, storage tanks or in-line plumbing



Stop Valves

Outlet stop valves in angle and straight options with compression, sweat, PEX and threaded connections.



Brass Air Vent

Air vents and air valves listed in this category include float-type hydronic air vents by Taco, adjustable steam



Steel Test Plugs

40mm up to 450mm



Aluminium Test Plugs

40mm up to 600mm



Multi-lock Steel Test Plugs

425mm to 2000mm sizes for indoor and



Double seal steel test plug

Threaded and sweat gate valves in 1/2", 3/4"



Canvas Inflatable Air Bags

The answer to a variety of pipe sealing problems in all Industries from Sewerage, Petrochemicals,Food Processing, Mining etc.









SANITARY & BUILDING





BATH MIXER DOUBLE LEVER



KITCHEN MIXER SINGLE LEVER



SHORT BODY HOSE BIB



PERINAL SPRAY WITH HOSE



BATH MIXER SINGLE LEVER



BASIN MIXER SINGLE LEVER



ANGLE VALVE



SHOWER HEADS



BRIDGE MIXER



SINK COCK BEND



BOTTLE TRAP



SANITARY FITTINGS CHROME



URINAL FLUSH VALVE



LONG BODY HOSE BIB



SHATTAF



BATHROOM ACCENSORIES











WATER HEATERS







We Feature



for: Quality

Reliability

Performance

Eco -Frendliness









FLOOR DRAINS & MANHOLE COVERS



Specification codes: LCHOOSPIC (2014 Bit top, yearum einyl toolg, Cil Inwer body) LCHOOSPIC (2018 Bit top & villy) body, Cil Inwer body) For headthead non-sign bissay, and "Not" For retro it body regions "NO" with "NO"

	REVENUE 2	Mile .
ceres.	OMOGION P	
MUST.	-	-
100	118	180













MANHOLE COVERS

Products details:

Material : Ductile iron, cast grey iron

Shape : round, square, rectangle and triangle Loading class : A15, B125, C250, D400, E600, F900 Diameter : from 50X50mm to 1500X1500mm

Weight : from 0.5kg to 1 ton









WATER FILTER SET



AUTO PUMP CONTROL SWITCH



WATER MOTOR WITH SPHERICAL TANK



WATER FILTER CARTRIDGE



PUMP CONTROL SWITCH



WATER MOTOR



WATER FILTER CARTRIDGES



FLOAT SWITCH



WATER PUMP





SANITARY & BUILDING





SS BRAIDED FLEXIBLE HOSE



FLEXIBLE WATER HOSE



WATER CLOSETS



WASH BASIN BOLTS





WASH BASIN WITH PEDISTAL



FLOOR DRAINS



WATER HEATER BOLTS



PVC FLEX-IBLE HOSE



KITCHEN SINK SINGLE



WASTE COUPLING



DENSO TAPE







WASTE COUPLING POP-UP



CHEMICALS FOR PIPES & FITTINGS





























PRODUCTS OVERVIEW



HAND TOOLS

MECHANICS TOOLS

Sockets & Accessories Spanners & Wrenches Spanner Sets Socket Sets

Tool Kits

CHISELS, PLANES & SURFORM

Wood Chisels Planes Plane spares

Surform

MEASURING, LEVELING & LAYOUT

Levels
Marking Out Tools
Chalk Reels
Rules
Long Tapes
Short Tapes
Torpedo & Line Levels
Measuring Wheels

Ultrasonic distance measurers

SCREWDRIVERS

Acetate Handle Screwdriver
Cushion Grip Screwdrivers
Cushion Grip Screwdrivers
Hex Key Sets
Other Screwdrivers
Screwdriver Bits
VDE Screwdrivers
Circuit Testers

DEMOLITION, HAMMERS & COLD CHISELS

Hammers Cold Chisels & Punches Demolition Tools

KNIVES & BLADES

Knife Blades
Fixed Blade Knives
Retractable Knives
Safety Knives
Snap-Off Blade Knives
Knife Blades
Craft, Sports & Pocket Knives

PLIERS, SNIPS & CLAMPS

Aviation Snips
Pliers
Scissors
Compound Action Pliers
Locking Pliers
Spring Clamps
Heavy Duty Clamps

FASTENING

Staple Guns Hammer Tackers Riveters Staples & Brads

SAWS

Back Saws Coping Saws Flush Cut Saws Folding Jabsaws Jabsaws Keyhole Saws Multi Saws Spare Saw Blades Wood Saws

ILLUMINATION

Torches

POWER TOOLS

SANDING

Random Orbital Sander

CORDLESS DRILLING

10,8 V 1,5Ah Drill Driver 10,8V 1,5 Ah Impact Driver 18V 2,0 Ah Drill Driver 18V 2.0AH DRILL DRIVER (BARE UNIT)

18V 2,0Ah Impact Driver 18V 2.0AH LI-ION HAMMER DRILL 18V Li-Ion Hammer Drill (Bare Unit) 18V Li-Ion Impact Driver - Bare Unit

CORDED DRILLING

Corded 850W 2G Hammer Drill 750W 1.8J SDS-plus Hammer Drill 1250W 3.5J Pneumatic Hammer Drill

CUTTING

710W Jigsaw
18V Li-Ion Jigsaw - Bare Unit
18V 4,0 Ah Jigsaw
1050W Reciprocating Saw
18V Li-Ion 165mm Circular Saw Bare Unit
18V Li-Ion Recip SawVDE Screwdrivers
18V 2,0Ah Reciprocating Saw
1600W Circular Saw
18V 4.0Ah Li-Ion 165mm Circular Saw

2000W 255mm Slide Mitre Saw

GRINDING

18V Li-Ion 125mm Small Angle Grinder - Bare Unit 850W 125mm Angle Grinder

OTHER TOOLS

18V Li-Ion USB Charger (Bare Unit)
750W 9mm Planer
18V Li-Ion 16Ga Finishing Nailer
18V Li-Ion LED Flashlight
300W Oscillating Tool
18V Li-ion Oscillating Tool
2000W Heatgun
Compact Mitre Saw Stand
1.600W 140mm Mixer

POWER TOOLS



CORDLESS DRILLING



DRILL DRIVER



IMPACT DRIVER



DRILL DRIVER (BARE UNIT)



LI-ION HAMMER DRILL

SANDING



RANDOM ORBITAL SANDER

CORDED DRILLING



2G HAMMER DRILL



SDS-PLUS HAMMER DRILL



PNEUMATIC HAMMER DRILL

GRINDING



SMALL ANGLE GRINDER



ANGLE GRINDER

CUTTING



JIGSAW



LI-ION JIGSAW



CIRCULAR SAW



LI-ION RECIP SAW



SLIDE MITRE SAW







BOSCH Invented for life







POWER TOOLS



OTHER TOOLS



PLANER



OSCILLATING TOOL



HEATGUN



FINISHING NAILER (BARE UNIT)





MIXER



COMPACT MITRE SAW STAND



OSCILLATING TOOL KIT



LI-ION USB CHARGER (BARE UNIT)



LI-ION CHARGER

сомво кітѕ















BOSCH Invented for life







HAND TOOLS



MECHANICS TOOLS







SPANNERS & WRENCHES



SOCKET SETS



SPANNER SETS



TOOL KITS



TOOL KITS

CHISELS, PLANES & SURFORM



CHISELS



PLANES



PLANE SPARES



SURFORM



STEEL FILE

MEASURING, LEVELING & LAYOUT













MEASURING RULE & WHEEL



MEASURING TAPES









SCREWDRIVERS



ACETATE HANDLE SCREWDRIVER



CUSHION GRIP SCREWDRIVERS



HEX KEY SETS



CIRCUIT TESTERS

KNIVES & BLADES



KNIFES

BLADES

FASTENING

DEMOLITION, HAMMERS & COLD CHISELS



HAMMERS



DEMOLITION TOOLS



SAWS



STAPLE GUNS & STAPLES



RIVETERS

PLIERS, SNIPS & CLAMPS



AVIATION SNIPS





COLD CHISELS

PLIERS



COMPOUND ACTION PLIERS



LOCKING PLIERS



VICES





BOSCH Invented for life







Our Locations





Committed to enhance Customer Satisfaction

QUALITY POLICY

TO BE THE LEADER IN THE SUPPLY OF MECHANICAL, INDUSTRIAL, SANITARY & BUILDING MATERIAL, BY ENHANCING THE DELIVERY LEAD TIMES AND PRODUCT KNOWLEDGE AND PROVIDING CUSTOMIZED, COST EFFECTIVE SOLUTION TO OUR VALUED CUSTOMER.

TO ENHANCE CUSTOMER SATISFACTION BY CUSTOMER FEEDBACK AND QUALITY AFTER SALES SERVICE.

DELIVERY ON COMMITMENT AND BUILD MUTUALLY BENEFICIAL CUSTOMER-SUPPLIER RELATIONSHIP. ENHANCE
THE KNOWLEDGE OF OUR STAFF BY PROVIDING TRAINING AND SKILLS REQUIRED FOR THE JOB, FOLLOW ALL
GOVERNMENTAL AND ENVIRONMENTAL REGULATIONS.



Makkah St. -P.O. Box 2021

Al-Jubail 31951 - Saudi Arabia

Mobile: +966 50 013 0696

: 013 363 4422 / 361 7752

FAX : 013 363 5966

E-MAIL: sales@fatehaljubail.com

OUR BRANCHES

ARIFI BRANCH

TEL: 013 361 2188 FAX: 013 361 8518

E-MAIL: sales@fatehaljubail.com

TURAIF BRANCH

Al-Riyadh Street, Turaif - 91411

TEL: 014 652 2229

FAX: 014 652 2227

E-MAIL: sales@fatehaljubail.com

www.fatehaljubail.com

JAZAN BRANCH

Jazan Darb Highway, Baish, Jazan - 45142

TEL: +966 50 013 0696

E-MAIL : sales@fatehaljubail.com

: jeezanbr@fatehaljubail.com